Fleet 56" Ceiling Fan 3-112-1515



FIXTURE TYPE _ LOCATION _ PROJECT_ **DATE**





-1515*



- -1515*
- * Provided with Gold and black blade hardware

8 Blades / 56" Blade Sweep / 13° Blade-Pitch 4" and 6" downrod (Included) **SPECIFICATIONS**

Optional downrods available for high ceilings

6 Speeds - Reversible;

0.36A on high / 0.04A on low 28W on high / 3W on low 155 rpm on high / 50 rpm on low Wall control (Included)

Handheld Remote Control (Included)

INPUT VOLTAGE 120V

ENERGY

SPECIFICATIONS Airfl ow: 7662 CFM


Electric Energy Consumption: 30W (Excludes Lights)

Airfl ow effi ciency: 248 CFM/W Note: Measured at high speed

FINISHES White (-6), Polished Nickel (-20), Oiled Bronze (-22),

Satin Nickel (-24), Black (-!5)

STANDARDS UL Damp



Ht Ceiling to blades: 13" (using 6" rod)

OPTIONAL LIGHT INFORMATION

LIGHT KIT NUMBER 3-9-108-40 376lm (LM-79)

LED Light kit 18W, 3000K, 90CRI` **LUMEN OUTPUT**

Dimmable LED with matte White Glass diffuser

LIGHT KIT NUMBER 3-1084-6 556lm (LM-79),

LUMEN OUTPUT LED Light kit 18W, 3000K, 90CRI`

Dimmable LED with matte White Glass diffuser

FINISHES BOTH

-40 AB, -24 SN, -15 BK, -6 WH, All: Matte White Diffuser **LIGHT KITS:**



